

General

You can find all variables that you can use here, depending on the document type:

Travel	Document
<ul style="list-style-type: none">• Document• Dossier• Customer• TotalPrice• Travellers• Products	<ul style="list-style-type: none">• Document• Dossier• Customer• TotalPrice• Positions

If you want to get a deeper technology background, have a look at the [Apache FreeMarker Library](#).

Date formatting

For example, formatting the current date:

```
${.now?string["dd. MM. YYYY"]} //returns 01. 01. 2022  
${.now?string["d. MMMM YYYY"]} //returns 1. January 2022
```

See details about formatting

Format	Definition
Month	
M	Month, from 1 through 12
MM	Two digit month, from 01 through 12
MMM	Abbreviated name of the month, for example: Jan, Feb, etc.
MMMM	Full name of the month, for example: January, February, etc.
Day	
d	Day of the month from 1 through 31
dd	Day of the month from 01 through 31
ddd	Standard abbreviation for the day of the week, for example: Mon, Tue, etc.
dddd	Full name of the day of the week, for example: Monday, Tuesday, etc.
Year	
y	Year from 0 to 99

Format	Definition
yy	Year from 00 to 99
yyy	Year with minimum of 3 digits
yyyy	Year as a four digit number
Hour	
h	Hour using 12-hour clock from 1 - 12
hh	Hour using 12-hour clock from 01 - 12
H	Hour using 24-hour clock from 0 - 24
HH	Hour using 24-hour clock from 00 - 24
Minute	
m	Hour using 12-hour clock from 1 - 12
mm	Hour using 12-hour clock from 01 - 12
Second	
s	Second, from 0 through 59
ss	Second, from 00 through 59
Other	
t	First character of the AM/PM designator
tt	AM/PM designator
T	A literal to separate date and time in 8061 or other formats
z	Hours offset from UTC, with no leading zeros — Example: -5 or +530
zz	Hours offset from UTC, with leading zero — Example: -05 or +0530
zzz	Hours and minutes offset from UTC, with leading zeros — Example -0500 or +0530
g or gg	Period or era, such as A.D.
K	Zone information

Lists

If you want to repeat something, for example, all products in an offer.

```
[ #list products as product
  // Use "product" for one product
[/#list]
```

Sorting

You can sort lists directly in the export, for example to display all products, sorted by the field start.

```
[ #list products?sort_by('start') as product]
    // the products get listed, sorted by "start"
[/#list]
```
